

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S20	1	(@ad<"20031208" or @pd<"20031208" or @rlad<"20031208" or @prad<"20031208") and (cost\$3 or pric\$3 or fee or fees or charg\$3) with access near3 (path\$1 or route\$1) with predicate\$1 with relation \$5 and optimiz\$5 near3 (request\$3 or quer\$3) and (database or dms)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/01 10:40
S21	3	(@ad<"20031208" or @pd<"20031208" or @rlad<"20031208" or @prad<"20031208") and (cost\$3 or pric\$3 or fee or fees or charg\$3) same access near3 (path\$1 or route\$1) with predicate\$1 with relation \$5 and optimiz\$5 near3 (request\$3 or quer\$3) and (database or dms)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/01 10:42
S22	10	(@ad<"20031208" or @pd<"20031208" or @rlad<"20031208" or @prad<"20031208") and (cost\$3 or pric\$3 or fee or fees or charg\$3) same access near3 (path\$1 or route\$1) same predicate\$1 with relation\$5 and (optimal or optimiz\$5) near3 (request\$3 or quer\$3) and (database or dms)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/01 10:44
S23	8	(@ad<"20031208" or @pd<"20031208" or @rlad<"20031208" or @prad<"20031208") and access with(path\$1 or route \$1) with predicate\$1 with relation\$5 and (optimal or optimiz\$5) near3 (request\$3 or quer\$3) and (database or dms)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/01 10:49

S24	0	(@ad<"20031208" or @pd<"20031208" or @rlad<"20031208" or @prad<"20031208") and access with(path\$1 or route \$1) with predicate\$1 with relation\$1 and (optimal or optimiz\$5) near3 (request\$3 or quer\$3) and (database or dms)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/01 10:51
S25	0	(@ad<"20031208" or @pd<"20031208" or @rlad<"20031208" or @prad<"20031208") and access with(path\$1 or route \$1) with predicate\$1 same relation\$1 and (optimal or optimiz\$5) near3 (request\$3 or quer\$3) and (database or dms)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/01 10:52
S26	0	(@ad<"20031208" or @pd<"20031208" or @rlad<"20031208" or @prad<"20031208") and access with(path\$1 or route \$1) with predicate\$1 same relation\$1 and (optimal or optimiz\$5) with (request\$3 or quer\$3) and (database or dms)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/01 10:52
S27	0	("707"/\$\$.cds. and (@ad<"20031208").ad. and (optimiz\$6 or optimal or best) with processing same request\$1 same access with path\$1 same (cost\$3 or pric \$3 or fee or fees or charg\$3) same predicate\$1 with relation\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/01 10:56
S28	0	("707"/\$\$.cds. and (@ad<"20031208").ad. and (optimiz\$6 or optimal or best) with processing same request\$1 same access with path\$1 same (cost\$3 or pric \$3 or fee or fees or charg\$3) same predicate\$1 and relation \$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/01 10:56

S29	26	(@ad<"20031208" or @pd<"20031208" or @riad<"20031208" or @prad<"20031208") and (cost\$3 or pric\$3 or fee or fees or charg\$3) with (request\$3 or quer\$3) and (cost\$3 or pric\$3 or fee or fees or charg\$3) with access adj (path\$1 or route\$1) and predicate\$1 and relation\$1 and optimiz\$5 and (database or dms)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/01 11:00
S30	8	(@ad<"20031208" or @pd<"20031208" or @riad<"20031208" or @prad<"20031208") and (cost\$3 or pric\$3 or fee or fees or charg\$3) with (request\$3 or quer\$3) and access adj (path\$1 or route\$1) same predicate\$1 same relation\$1 and optimiz\$5 with query\$3 and (database or dms)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/01 11:11
S31	0	(@ad<"20031208" or @pd<"20031208" or @riad<"20031208" or @prad<"20031208") and (cost\$3 or pric\$3 or fee or fees or charg\$3) same (request\$3 or quer\$3) and access adj (path\$1 or route\$1) with predicate\$1 with relation\$1 and optimiz\$5 with query\$3 and (database or dms)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/01 11:22
S32	0	(@ad<"20031208" or @pd<"20031208" or @riad<"20031208" or @prad<"20031208") and (cost\$3 or pric\$3 or fee or fees or charg\$3) and (request\$3 or quer\$3) and access adj (path\$1 or route\$1) with predicate\$1 with relation\$1 and optimiz\$5 with query\$3 and (database or dms)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/01 11:23
S33	0	(@ad<"20031208" or @pd<"20031208" or @riad<"20031208" or @prad<"20031208") and (cost\$3 or pric\$3 or fee or fees or charg\$3) and (request\$3 or quer\$3) and access adj (path\$1 or route\$1) with predicate\$1 with relation\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/01 11:23

S34	0	(@ad<"20031208" or @pd<"20031208" or @rlad<"20031208" or @prad<"20031208") and access adj (path\$1 or route \$1) with predicate\$1 with relation\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/01 11:24
S35	0	(@ad<"20031208" or @pd<"20031208" or @rlad<"20031208" or @prad<"20031208") and access adj (path\$1 or route \$1) with predicate\$1 same relation\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/01 11:24
S36	15	(@ad<"20031208" or @pd<"20031208" or @rlad<"20031208" or @prad<"20031208") and access adj (path\$1 or route \$1) same predicate\$1 same relation\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/01 11:25
S37	0	(@ad<"20031208" or @pd<"20031208" or @rlad<"20031208" or @prad<"20031208") and access adj (path\$1 or route \$1) and extract\$4 with predicate\$1 and (identify\$4 or determin\$3) with relation \$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/01 11:43
S38	0	(@ad<"20031208" or @pd<"20031208" or @rlad<"20031208" or @prad<"20031208") and access adj (path\$1 or route \$1) and extract\$4 with predicate\$1 and (identify\$4 or determin\$3) with relation \$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/01 11:43
S39	0	(@ad<"20031208" or @pd<"20031208" or @rlad<"20031208" or @prad<"20031208") and access adj (path\$1 or route \$1) and extract\$4 with predicate\$1 and (select\$4 or input\$4 or identify\$4 or determin\$3) with relation\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/01 11:44

S40	6	(@ad<"20031208" or @pd<"20031208" or @rlad<"20031208" or @prad<"20031208") and access adj (path\$1 or route \$1) and extract\$4 with predicate\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/01 11:46
S41	3	"7206563"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/01 12:48
S48	20	(@ad<"20031208" or @pd<"20031208" or @rlad<"20031208" or @prad<"20031208") and (cost\$3 or pric\$3 or fee or fees or charg\$3) with access near3 (path\$1 or route\$1) and predicate\$1 and optimiz \$5 near3 (request\$3 or quer \$3) and (database or dms) and workload\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/21 16:37
S49	2	(@ad<"20031208" or @pd<"20031208" or @rlad<"20031208" or @prad<"20031208") and (cost\$3 or pric\$3 or fee or fees or charg\$3) with access near3 (path\$1 or route\$1) same workload\$1 and predicate\$1 and optimiz\$5 near3 (request\$3 or quer\$3) and (database or dms)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/21 16:40
S50	16	(@ad<"20031208" or @pd<"20031208" or @rlad<"20031208" or @prad<"20031208") and (cost\$3 or pric\$3 or fee or fees or charg\$3) and access near3 (path\$1 or route\$1) same workload\$1 and predicate\$1 and optimiz\$5 near3 (request\$3 or quer\$3) and (database or dms)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/21 16:40

S51	20	((@ad<"20031208" or @pd<"20031208" or @rld<"20031208" or @prad<"20031208") and (cost\$3 or pric\$3 or fee or fees or charg\$3) and access same (path\$1 or route\$1) same workload\$1 and predicate\$1 and optimiz\$5 near3 (request\$3 or quer\$3) and (database or dms)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/21 16:41
S52	8	((@ad<"20031208" or @pd<"20031208" or @rld<"20031208" or @prad<"20031208") and (cost\$3 or pric\$3 or fee or fees or charg\$3) with access near3 (path\$1 or route\$1) and predicate\$1 and optimiz\$5 near3 (request\$3 or quer\$3) and (database or dms) and workload\$1 same (assign\$3 or assignment\$1 or group\$3 or categor\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/21 16:43
S53	1	"6957211" and workload\$1 and process\$3 same (request\$3 or quer\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/21 16:45
S54	1	"6957211" and workload\$1 and process\$3 same (request\$3 or quer\$3) and actual\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/21 17:04
S55	1	"6957211" and workload\$1 and process\$3 same (request\$3 or quer\$3) and stor\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/21 17:05
S56	1	"6957211" and access\$3 same stor\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/21 17:11
S57	0	"6957211" and workload\$1 same request\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/21 17:19

S58	1	"6957211" and workload\$1 same quer\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/21 17:20
S59	1	"6957211" and workload\$1 same (group\$3 or categor\$3 or quer\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/21 17:23
S60	1	"6957211" and workload\$1 and (group\$3 or categor\$3 or quer\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/21 17:23
S61	1	"6957211" and workload\$1 and (sort\$3 or group\$3 or categor\$3 or quer\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/21 17:24
S62	1	"6957211" and quer\$4 with (sort\$3 or group\$3 or categor\$3 or quer\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/21 17:27
S63	1	"6957211" and quer\$4 same (sort\$3 or group\$3 or categor\$3 or quer\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/21 17:28
S64	1	"6957211" and quer\$4 same workload\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/21 17:36
S65	4	"2003032949"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/22 10:20
S66	0	"20030312949"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/22 10:21

S67	2	"20030132949"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/22 10:21
S68	5	"6411910"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/22 10:22
S69	2	"20040024717"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/22 10:22
S70	10	(@ad< "20031208" or @pd< "20031208" or @rlad< "20031208" or @prad< "20031208") and (cost\$3 or pric\$3 or fee or fees or charg\$3) same access with (path\$1 or route\$1) and predicate\$1 and optimiz\$5 near3 (request\$3 or quer\$3) and (database or dms) and workload\$1 and cache\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/23 20:34
S71	0	(@ad< "20031208" or @pd< "20031208" or @rlad< "20031208" or @prad< "20031208") and (cost\$3 or pric\$3 or fee or fees or charg\$3) same access with (path\$1 or route\$1) and predicate\$1 and optimiz\$5 near3 (request\$3 or quer\$3) and (database or dms) and workload\$1 and cache\$1 with (access or path\$1 or route\$1) and "6952211"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/23 21:14
S72	0	(@ad< "20031208" or @pd< "20031208" or @rlad< "20031208" or @prad< "20031208") and workload\$1 and cache\$1 with (cost\$3 or pric\$3 or fee or fees or charg\$3 or access or path\$1 or route\$1) and "6952211"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/23 21:21



S73	0	((@ad<"20031208" or @pd<"20031208" or @rlad<"20031208" or @prad<"20031208") and workload\$1 and cache\$1 same (cost\$3 or pric\$3 or fee or fees or charg\$3 or access or path\$1 or route\$1) and "6952211"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/23 21:21
S74	0	((@ad<"20031208" or @pd<"20031208" or @rlad<"20031208" or @prad<"20031208") and workload\$1 and cache\$1 and (cost\$3 or pric\$3 or fee or fees or charg\$3 or access or path\$1 or route\$1) and "6952211"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/23 21:21
S75	0	((@ad<"20031208" or @pd<"20031208" or @rlad<"20031208" or @prad<"20031208") and workload\$1 and cach\$3 and (cost\$3 or pric\$3 or fee or fees or charg\$3 or access or path\$1 or route\$1) and "6952211"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/23 21:22
S76	0	((@ad<"20031208" or @pd<"20031208" or @rlad<"20031208" or @prad<"20031208") and workload\$1 and cach\$3 and (cost\$3 or pric\$3 or fee or fees or charg\$3 or access or path\$1 or route\$1) and "6952211"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/23 21:22
S77	0	workload\$1 and cach\$3 and (cost\$3 or pric\$3 or fee or fees or charg\$3 or access or path\$1 or route\$1) and "6952211"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/23 21:22
S78	0	workload\$1 and cach\$3 and "6952211"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/23 21:22
S79	1	cach\$3 and "6952211"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/23 21:23

S80	0	workload\$1 and cach\$3 and (cost\$3 or pric\$3 or fee or fees or charg\$3 or access or path\$1 or route\$1) and "6952211"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/23 21:24
S81	1	"6957211" and cache\$1 and workload\$1 and process\$3 same (request\$3 or quer\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/23 21:25
S82	1	"6957211" and cache\$1 same (cost\$3 or fee or fees or pric\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/23 21:30
S83	1	"6957211" and stor\$3 same (cost\$3 or fee or fees or pric\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/23 21:41
S84	1	"6957211" and stor\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/23 21:45
S85	1	"6957211" and (stor\$3 or sav\$3 or cach\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/23 21:46
S86	1	"6957211" and (temporary or stor\$3 or sav\$3 or cach\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/23 21:46
S87	1	"6957211" and (temporary or stor\$3 or sav\$3 or cach\$3 and back\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/23 21:55
S88	1	"6957211" and (temporary or stor\$3 or sav\$3 or cach\$3 and back\$3 or backup)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/23 21:56

S89	1	"6957211" and (temporary or stor\$3 or sav\$3 or cach\$3 and back\$3 or backup) and workload	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/23 23:27
S90	1	"6957211" and (temporary or stor\$3 or sav\$3 or cach\$3 and back\$3 or backup) same database and workload	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/23 23:33
S91	1	"6957211" and analysis	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/23 23:44
S92	4	(@ad<"20031208" or @pd<"20031208" or @rlad<"20031208" or @prad<"20031208") and (cost\$3 or pric\$3 or fee or fees or charg\$3) with access near3 (path\$1 or route\$1) and predicate\$1 and optimiz \$5 near3 (request\$3 or quer \$3) and (database or dms) and workload with analysis	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/23 23:46
S93	4	(@ad<"20031208" or @pd<"20031208" or @rlad<"20031208" or @prad<"20031208") and (cost\$3 or pric\$3 or fee or fees or charg\$3) with access near3 (path\$1 or route\$1) and predicate\$1 and optimiz \$5 with (request\$3 or quer \$3) and (database or dms) and workload with analysis	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/23 23:48
S94	8	(@ad<"20031208" or @pd<"20031208" or @rlad<"20031208" or @prad<"20031208") and (cost\$3 or pric\$3 or fee or fees or charg\$3) same access near3 (path\$1 or route\$1) and predicate\$1 and optimiz \$5 with (request\$3 or quer \$3) and (database or dms) and workload with analysis	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/23 23:48

S95	2	(@ad<"20031208" or @pd<"20031208" or @rlad<"20031208" or @prad<"20031208") and (cost\$3 or pric\$3 or fee or fees or charg\$3) same access near3 (path\$1 or route\$1) and predicate\$1 and optimiz \$5 same (request\$3 or quer \$3) and (database or dms) and workload with analysis and (assign\$3 or group\$3) near3 quer\$3 with workload	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/23 23:53
S96	2	(@ad<"20031208" or @pd<"20031208" or @rlad<"20031208" or @prad<"20031208") and (cost\$3 or pric\$3 or fee or fees or charg\$3) same access near3 (path\$1 or route\$1) and predicate\$1 and optimiz \$5 same (request\$3 or quer \$3) same (storage or stor\$3 or database or dms) and workload with analysis and (assign\$3 or group\$3) near3 quer\$3 with workload	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/24 00:01
S97	0	(@ad<"20031208" or @pd<"20031208" or @rlad<"20031208" or @prad<"20031208") and (cost\$3 or pric\$3 or fee or fees or charg\$3) same access near3 (path\$1 or route\$1) and predicate\$1 and optimiz \$5 same (request\$3 or quer \$3) same (storage or stor\$3 or database or dms) and workload with analysis and (assign\$3 or group\$3) near3 quer\$3 with workload and real	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/24 00:30
S98	0	(@ad<"20031208" or @pd<"20031208" or @rlad<"20031208" or @prad<"20031208") and (cost\$3 or pric\$3 or fee or fees or charg\$3) same access near3 (path\$1 or route\$1) and workload with analysis same (real adj time or off-line)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/24 00:31

S99	0	((@ad<"20031208" or @pd<"20031208" or @rlad<"20031208" or @prad<"20031208") and (cost\$3 or pric\$3 or fee or fees or charg\$3) and access near3 (path\$1 or route\$1) and workload with analysis same (real adj time or off-line))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/24 00:32
SI00	0	((@ad<"20031208" or @pd<"20031208" or @rlad<"20031208" or @prad<"20031208") and (cost\$3 or pric\$3 or fee or fees or charg\$3) and access near3 (path\$1 or route\$1) and workload with analysis same (realtime or real or off or off adj time or off-line))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/24 00:33
SI01	5	((@ad<"20031208" or @pd<"20031208" or @rlad<"20031208" or @prad<"20031208") and (cost\$3 or pric\$3 or fee or fees or charg\$3) and access near3 (path\$1 or route\$1) and workload same analysis same (realtime or real or off or off adj time or off-line))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/24 00:33
SI02	3	((@ad<"20031208" or @pd<"20031208" or @rlad<"20031208" or @prad<"20031208") and (cost\$3 or pric\$3 or fee or fees or charg\$3) and access near3 (path\$1 or route\$1) and workload same analysis same (realtime or real adj time or offline or off adj time or off-line))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/24 00:35
SI03	0	((@ad<"20031208" or @pd<"20031208" or @rlad<"20031208" or @prad<"20031208") and (cost\$3 or pric\$3 or fee or fees or charg\$3) and access near3 (path\$1 or route\$1) and workload same analysis near3 (realtime or real adj time or offline or off adj time or off-line))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/24 00:36

S104	0	"6957211" and dictionary	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/24 01:07
S105	0	"6957211" and dictionary	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/24 01:19
S106	1	"6957211" and database same (file\$1 or list\$3 or record\$1 or meaning\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/24 01:23
S107	1	"6957211" and database same cost\$1 and (file\$1 or list \$3 or record\$1 or meaning \$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/24 01:23
S108	2	"6957211" and (stor\$3 or database or list\$3 or index) with (pric\$3 or cost\$1 or fee or fees or charg\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/24 01:27

5/24/08 11:10:58 AM

C:\Documents and Settings\fnelson1\My Documents\EAST\Workspaces\10730629.wsp